Challenges in Virtual Reality Studies: Ethics and Internal and External Validity

Sarah Delgado Rodriguez University of the Bundeswehr Munich Germany sarah.delgado@unibw.de

> Ville Mäkelä University of Waterloo Canada ville.makela@uwaterloo.ca

ABSTRACT

User studies on human augmentation nowadays frequently involve virtual reality (VR) technology. This is because VR studies allow augmentations of the human body or senses to be evaluated virtually without having to develop elaborate physical prototypes. However, there are many challenges in VR studies that stem from a multitude of factors. In this paper, we first discuss different types of VR studies and suggest high-level terminology to facilitate further discussions in this space. Then, we derive challenges from the literature that researchers might face when conducting research with VR technology. In particular, we discuss ethics, internal validity, external validity, the technological capabilities of VR hardware, and the costs of VR studies. We further discuss how the challenges might apply to different types of VR studies, and formulate recommendations.

CCS CONCEPTS

• Human-centered computing → User studies; Virtual reality.

KEYWORDS

Virtual Reality Studies, Virtual Reality, User Study, Challenges, Ethics, Validity

ACM Reference Format:

Sarah Delgado Rodriguez, Rivu Radiah, Ville Mäkelä, and Florian Alt. 2023. Challenges in Virtual Reality Studies: Ethics and Internal and External Validity. In *Augmented Humans Conference (AHs '23), March 12–14, 2023, Glasgow, United Kingdom.* ACM, New York, NY, USA, 7 pages. https://doi.org/10.1145/3582700.3582716

1 INTRODUCTION

Virtual reality (VR) has been investigated for more than 25 years and is still an immensely popular topic [16]. Research on human augmentation especially profits from VR technology, since it allows

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

AHs '23, March 12-14, 2023, Glasgow, United Kingdom

© 2023 Copyright held by the owner/author(s). Publication rights licensed to ACM. ACM ISBN 978-1-4503-9984-5/23/03...\$15.00 https://doi.org/10.1145/3582700.3582716

Rivu Radiah University of the Bundeswehr Munich Germany radiahrivu@gmail.com

Florian Alt
University of the Bundeswehr Munich
Germany
florian.alt@unibw.de

to manipulate users' perceptions of their own body and its capabilities [4, 30, 36, 40, 57, 70]. Hence, VR studies provide means for evaluating virtual human augmentations that can be customized, altered, and implemented much easier than physical prototypes. Such studies can focus on diverse topics, ranging from hardware solutions [14, 63] to user experience [27, 44] and simulations of real-world situations [20, 30, 51]. While most VR studies are still conducted at laboratories, novel methods have risen for conducting studies remotely [37, 49, 58, 67, 82] which e.g., allows evaluating virtual human augmentations in different contexts, like the user's home. Such different VR study types pose different challenges with regard to ethical concerns, internal, and external validity.

However, we have not yet observed a *comprehensive discussion* on challenges in VR studies, especially in regard to not only ethics but also internal and external validity of different types of VR studies. Our research aims at 1) presenting an overview of different types of VR studies, 2) discussing potential challenges in VR studies, and 3) proposing recommendations for researchers that conduct VR studies in the future. Hence, this paper is primarily intended as an introduction to VR studies for researchers, developers, designers, and students, rather than a comprehensive literature review.

2 TYPES OF VR STUDIES

We establish "VR studies" as an umbrella term that includes any study that utilizes VR technology. We further distinguish VR studies based on (a) whether the study employs a direct or indirect use of VR and (b) whether the study takes place on-site or remotely. These factors function on their own spectrums. For example, direct VR studies can be either on-site or remote; remote studies can be either direct or indirect, etc. We do not intend our categorization to be exhaustive, but rather, to suggest high-level terminology to help navigate the diverse space of VR studies.

2.1 Direct vs. Indirect VR Studies

We distinguish VR studies by the applied use of VR technology. By *Direct VR Studies*, we refer to studies with direct applications in VR (e.g., evaluating VR hardware). Contrary to this, *Indirect VR Studies* seek to apply their gained knowledge outside of VR, where VR is used as a tool (e.g., using VR for real-world training).

Direct VR studies include research on prototypes – like novel controllers [14, 86] or head-mounted displays [63, 69] – and interaction techniques [42], but also software applications like games or learning experiences [13, 15, 74]. Users' experiences and performances in VR have been also frequently investigated [1, 27, 44, 60, 77, 79] – i.e., experiences like *presence*, but also negative effects like *cybersickness* [17, 19, 47]. Other *direct VR studies* investigate the provision of sensory stimuli, such as haptics [60] or auditory cues [35, 56].

Indirect VR studies usually simulate real-world environments to gain knowledge from participants or apply skills to them to be later used in the real world. Research has shown that users' behavior in simulated environments is similar to their behavior in corresponding real-world environments [20, 80]. VR has been applied for medical training [2, 28] and emergency evacuation scenarios [22, 59, 64]. Hence, VR can enable the conduction of experiments that would be difficult or unethical in the real world [20, 34, 38, 59, 78] and the evaluation of virtual augmentations of the human body or its capabilities [4, 30, 36, 40, 57, 70].

2.2 On-Site vs. Remote VR Studies

On-site studies can take place in a lab or another specifically chosen and prepared location (e.g., a car [54] or a museum [66]), where researchers have a high degree of control over the study situation. In contrast, there are *remote studies*, where users attend the study remotely, typically via an internet connection, and without the (physical) presence of an experimenter.

On-Site VR Studies are conducted in a specific location (e.g., a lab), usually in presence of an experimenter, and with devices provided by the researchers [51, 78, 80]. This implies a largely controlled usage context, resulting in few confounding variables and highly reproducible results [9].

Remote VR studies (aka. in the wild or crowdsourcing studies) have emerged in recent years due to the increasing market size of VR devices worldwide [83]. These studies are conducted by the participants themselves, without the physical presence of a researcher. This frequently also implies that the participant can choose the timing and physical environment where the study is conducted. Remote VR studies enable ecologically valid evaluations with large sample sizes and high diversity [37, 49, 58]. Related work further suggests that the results of remote studies are comparable to others conducted in the lab [37].

3 ETHICAL CONCERNS

Using VR can cause moral and legal concerns regarding their multiple potential adverse effects on users [5, 43, 61, 81]. These potential effects include issues regarding mental health, physiological health, neglecting the real world, blurring of moral standards as well as loss of control over personal data and *personally identifiable information* (e.g., kinematic fingerprint) [81]. All these VR-induced symptoms and effects are commonly abbreviated as VRISE [17, 61].

3.1 Health Risks

Potential health risks related to VRISE need to be carefully considered before conducting any kind of VR study [50]. The most investigated topic inside VRISE is *cybersickness*, a VR-induced motion-sickness potentially based on conflicting sensory perceptions [17,

Table 1: Factors affecting cybersickness derived from related literature [3, 19, 46, 52] and grouped similar to [19].

Individual Factors	Device Factors	Task Factors
Age	Lag	Control
Gender	Flicker	Duration
Illness	Calibration	
Posture	Ergonomics	
Previous Usage	Tracking Errors	
· ·	Field-of-view	

21, 46, 61]. Cybersickness can cause symptoms ranging from disorientation (e.g., dizziness or vertigo), to nausea (e.g., stomach awareness, increased salvation) and oculomotor limitations (e.g., headache, blurred vision, eyestrain) [17, 19, 47]. Cobb et al. [17] found that 80% of their 148 participants experienced some symptoms. While the effects were mild for most participants and subsided soon, 5% of the participants had to abort the experiment, because they experienced severe effects. The factors influencing cybersickness can be divided into device, task, and individual factors (see Table 1) [19, 21, 47]. While the device and task-related factors can be strongly influenced by the design of the VR experience, individual factors are less controllable and avoidable.

Using VR technology can furthermore cause injuries [5]. There is a risk of falling triggered by VR experiences and users are worried about bumping into objects or hurting themselves [33, 51, 55].

Possible implications of the usage of VR devices on mental health represent a further risk. VR can, at least temporally, increase dissociative experiences, such as depersonalization and derealization [1]. In this regard, there are further concerns about a possible rejection of the real world, which could even cause the neglect of own body needs [81]. The implications on preexisting mental disorders constitute another risk that has to be thoughtfully considered [1, 81].

3.2 Privacy Risks of VR Usage

In addition to health risks in the use of VR devices, there are further concerns about privacy risks. Spiegel [81] states that such devices potentially record personal information, such as the users' patterns of eye movement, motor responses, and reflexes. This data could form a distinctive *kinematic fingerprint*. VR devices could additionally record information on the consumers' habits, interests, and tendencies (e.g., used software or games). Spiegel raises the concern that such information could be accessed by third parties (e.g., businesses, governments, hackers, and identity thieves).

3.3 Other Moral Implications

The usage of VR devices implies further ethical considerations. VR experiences are able to trigger negative emotions, which are even more intense than comparable emotions induced by 2D experiences [48, 50]. This technology could also intensify the blurring of moral standards relative to violence and aggression already observed in video games [81]. In addition, the general manipulative potential of VR is still poorly explored. Such manipulative virtual experiences could aim at influencing the beliefs, emotions, or behavior of the user [50, 81].

3.4 Specific Concerns on Remote Studies

While the above-mentioned health and privacy risks apply to all VR user studies [49], there are some additional ethical concerns about remote approaches. During the conduction of such studies, there is no evaluator present to assist participants in the case of sudden health issues (e.g., severe cybersickness symptoms or injuries due to falls) [58]. This is especially important to consider because VRISE can be reduced, as above mentioned, but not completely avoided for all participants. However, if the sample of a remote study consists only of owners of VR devices, one could argue that the conduction of the study is not riskier than the normal usage of such devices [82]. Another issue of remote studies is the implied need of transmitting the gathered data. This represents an additional possible entry point for attacks on the privacy of the participants, especially since the source of the transmission could provide further cues on the identity of a subject (e.g., mail address or IP) [67].

4 INTERNAL VALIDITY: CONFOUNDING VARIABLES

The internal validity of a user study largely depends on control over possible confounding variables. We discuss participants' potential biases in regard to VR technology and the control a researcher has over the environment in which VR studies are conducted.

4.1 Potential Biases

Harrison et al. [31] highlight the importance of gathering information on a study's subject, to understand their possible biases and motivations, especially when it comes to qualitative feedback.

- 4.1.1 Awareness and Access to Devices. Surveys on the awareness of VR indicate that between 63% and 87% of the general population have heard of VR [29, 33, 84]. Moreover, access to such technology has been constantly increasing in the last years, reaching 16 million installed VR headsets worldwide in 2021 [25]. In the US alone, 30.6 million people used a VR headset at least once a month, and 28.3 million people experienced VR regularly using other hardware (i.e., 17.7% of the US population in 2021).
- 4.1.2 General Population's Opinions. O'Hagan et al [62] found that their survey participants (N=210) associated VR primarily with gaming applications and expressed a rather positive sentiment towards this technology. Herz and Rauschnabel [33] found a slightly positive attitude towards the usage of VR headsets among their 611 German participants (Mean=3.70 on a 7-points Likert scale). The (re-)purchase intention was rated lower (Mean=2.58). The authors further investigated the perceived benefits and risks of this technology. Those benefits included the opportunity to explore different places (Mean=5.21), to have a fun experience, and to gain access to entertainment (Mean=5.06) as well as experience embodiment (Mean=3.95). The participants further confirmed to perceive privacy (Mean=4.09), physical (Mean=3.89) and health risks (Mean=3.61). A survey realized by Context [29] inquired what participants (N=2511) found most exciting about VR. In this regard, 61.7% of the subjects mentioned immersive sports experiences, 53.17% wanted to experience things they would physically never do (e.g., sky-diving) and 48.3% desired to immerse in a film. While we could find indications of slightly positive attitudes toward VR, the general population's

expectations of VR usage might not align with their experiences during a VR study. Hence, qualitative feedback could be, for example, influenced if a participant took part in the VR study hoping to experience fun virtual environments, but was then selected for a control group that involves no usage of such technology.

4.1.3 Personal Factors. Herz and Rauschnabel [33] found that previous experience with VR glasses (p < .001) and age (p = .012) had significant effects on the attitude towards such devices. Furthermore, they detected significant effects of previous experience (p=.003) and gender of the participants (p=.03) on the (re-)purchase intention. Thus, previous experience with such devices influenced both the attitude and the (re-)purchase intention [33]. Huygelier et al. [39] observed a more positive attitude of their 38 participants after being exposed to VR for the first time. However, previous experiences with VRISE (e.g., cybersickness of injuries) might have an even stronger effect on possible biases [61]. For gender effects, surveys found that virtual or augmented reality device owners and users are predominantly male [12, 18, 67], indicating a lower interest in VR devices in the female population. Moreover, usage of VR devices is not equally distributed across different age groups. The number of VR users decreases from 34% and 35% for the age groups 16-24 and 25-34 to 6% when it comes to ages 55-64 [12]. However, Huygelier et al. [39] found that their older aged participants' (ages from 57 to 94, Mean=74.8) initial attitude towards VR was neutral and found no clear significant effect between age and attitude. While it is difficult to derive a clear correlation between age and attitudes toward VR technology, the possible effects should be considered.

4.2 Control over the Context

The context in which a study is conducted represents another possible cause for confounding variables (i.e., influencing factors like interruptions, noisy environments, or malfunctioning hardware).

- 4.2.1 Limited Control Over Remote Studies. The largest challenge regarding remote VR studies is the missing control over the real-world context during the evaluation process. This strongly affects the internal validity of the results of such evaluations, since confounding effects can not be generally excluded. Even though researchers can provide specific instructions on the study procedure, they should also include controlling mechanisms to make sure that these instructions were executed correctly [49, 82]. This can be a difficult task, depending on the specific study design and requirements. It can also result in a high amount of data that has to be subsequently excluded from the evaluation. Researchers might consider implementing more flexible study designs that allow for different user postures (e.g., standing and sitting), devices, and confined spaces around the participant [49, 58, 71].
- 4.2.2 Internal Validity of Indirect VR Studies. Within indirect VR studies, the simulated environment can be easily controlled and manipulated by the researcher, allowing for meticulous and less effortful data collection, similar to on-site studies. The control can be even extended to the manipulation of virtual personas enabling also the manipulation of the social context [51]. This results in a high internal validity of the results of such studies since they exclude uncontrolled confounding variables.

5 EXTERNAL VALIDITY: RECRUITED SAMPLE AND NATURALISTIC CONTEXT

Two major factors might influence the external validity of user study results: non-representative samples and non-naturalistic cues [31].

5.1 Recruiting Diverse Participants

Many HCI user studies have poorly diverse samples of young, techsavvy, and mostly male participants [6, 67]. Such samples potentially restrict the external validity of results since they do not represent the general population. Another potential issue is that sample sizes tend to be small, often only between 12 and 16 participants [6]. This can directly affect the effect sizes of results and, consequently, their practical significance [73].

- 5.1.1 Online Recruitment and Testing. To overcome the lack of diversity and small sample sizes, many authors proposed online recruiting and testing approaches. Reviews of such methods have shown results to be comparable to those achieved with directly recruited participants [7, 10, 41, 75, 85]. Nevertheless, those methods might exclude possible subjects who do not use specific platforms or can not access the internet [7]. Furthermore, the decision for a specific platform can affect the quality of the results [11, 41].
- 5.1.2 Reaching Owners of VR Headsets. Remote VR studies might specifically target users of VR devices to conduct fully online study procedures that participants can run without supervision. Such studies allow for larger sample sizes and more diversity [49, 67]. VR users could be recruited through online communities (e.g., Reddit [41, 67, 75]), individualized advertisements (e.g., Facebook adds [45, 72]), crowdsourcing platforms (e.g., Amazon Mechanical Turk or Prolific [49, 58, 67]) or specific VR platforms (e.g., VRChat, Steam or Rec Room [67, 71]). However, whether VR owners can be seen as a representative sample of the general population is questionable, due to the unequal demographic distribution of this population [12, 18, 26, 39, 67]. Rivu et al. found that VR users are predominantly young (mean age = 29.72, SD = 8.8), male (77%) gamers (91%). Ma et al. [49] found a slightly more diverse pool of 242 Amazon Mechanical Turk crowd workers with access to suitable VR technology (61% male; ages: 18-78, median = 32). Thus, researchers have to assess if their specific sample is representative of the targeted population [82].
- 5.1.3 Sending VR Technology to Participants. To overcome these issues, an alternative approach to the execution of remote VR studies might be sending VR hardware to previously registered potential participants [58]. For example, Mottelson and Hornbæk [58] send cardboard VR glasses to 57 participants. However, sending materials to participants requires resources, and may not be feasible especially if the study requires high-end hardware.

5.2 Naturalism of VR

A major motivation for *indirect VR studies* is that a simulated environment may present a more naturalistic context than a traditional real-world lab environment [31, 51]. This implies an improved external validity of such approaches compared to traditional on-site studies. VR studies also allow researchers to develop new prototypes virtually instead of physically, which can reduce the implementation

effort largely and also allows for easy adaptation. However, today's VR devices usually focus on supporting visual and auditory cues (i.e., through head- or gaze-tracking technologies, microphones, and headphones). Especially the provision of haptic feedback is still being investigated and poorly developed in commercial solutions where it usually involves game-like controllers [53, 76]. These controllers do not represent natural interactions and can influence the behavior of their users [51, 53]. The provision of naturalistic cues might also include real-world objects the users normally interact with. Hence, participants' behavior can be affected by the impossibility of interacting with e.g. their smartphones in VR [51, 53].

We argue that the incapacity of current VR devices to allow for naturalistic haptics and interactions with real-world objects is still a major factor that limits the external validity of *indirect VR studies*, and the potential topics of interest that these studies might address. Further research is needed to better understand the limitations and opportunities of indirect VR studies [51]. For *direct VR studies*, the lack of naturalism is less of an issue, as they do not necessarily rely on accurate portrayals of the real world. In fact, the current shortcomings are an excellent opportunity, as many such studies focus on developing and evaluating new technical and interactive capabilities for VR [14, 35, 86].

6 FURTHER CHALLENGES

Dependence on Capabilities of Technology. The differing capabilities of available devices can affect the data that can be gathered during a VR study, the naturalism of the experience, the design of the study, and the behavior of participants [49, 58, 82]. Device owners frequently perceive limited technical capabilities as a usability issue [53]. Performance metrics like task completion speed and accuracy are especially prone to be affected by this [58]. Moreover, smartphone-based devices usually lack hand- or body-tracking and other physiological sensing capabilities while also suffering from limitations like battery exhaustion, overheating, or lagged rendering for fast head movements [49, 82]. This especially affects remote VR studies, where smartphone-based devices are frequently used due to their low cost and widespread distribution [49, 58, 82].

Costs of VR Studies. Indirect VR studies aim at simulating a naturalistic usage context, resulting in an effortful and time-consuming implementation process. Moreover, high-end VR devices might be needed to display high-fidelity virtual environments. According to Mäkelä et al. [51], the development costs (i.e., monetary costs and effort) of indirect VR studies are still lower compared to field studies because developed virtual environments can be reused. The authors situate the costs of such studies between traditional field and lab studies [51]. Direct VR studies are not necessarily contrary to this. Even though the evaluation of, for example, some hardware prototypes can be independent of the used technology or the fidelity of the virtual environment, other research questions could depend greatly on specific capabilities. The costs of such studies strongly depend on the evaluated research question and study design. The monetary costs of remote VR studies, on the other hand, are reported as lower than on-site approaches since they require no present researcher, no specific space, and no device costs if participants' devices are used [49]. However, the required effort might be much higher in comparison to on-site VR studies because the

developed procedure has to be of higher quality, more stable against unexpected participant behavior, and also clearly understandable without further support [82].

7 RECOMMENDATIONS FOR CONDUCTING VR STUDIES

7.1 Ethical Considerations

Ethical concerns about the usage of VR technology have moral implications for the design of VR user studies, especially since effects on the consumers' mental health and moral standards are still poorly investigated [1, 81, 82].

7.1.1 Reduce Health Risks. The risk of injuries can be reduced by avoiding moving, perturbing, surprising, or scary stimuli inside the virtual environments since they could cause falls or sudden movements of the user [48, 55]. Moreover, researchers should allow for stable postures of participants (e.g., sitting rather than standing) [46]. Designers of VR studies could also pre-screen their participants for temporal afflictions (e.g., flue, fatigue, or hangover), the influence of drugs or alcohol, or existing psychological disorders/vulnerabilities [19, 24, 50]. To avoid factors that contribute to cybersickness, VR devices with little lagging, not noticeable display flickering, and accurate position tracking should be used [8, 32, 65]. The Devices should also support efficient calibration and ergonomic adaption to the user [46, 52]. Study tasks should maximize the user's control over the virtual environment, and allow for a gradual adaption to VR [46, 52]. Moreover, researchers found that women are more likely to suffer from cybersickness, as well as children (i.e., aged 2-12) [8, 68] or first-time users [8, 17, 68]. However, these groups can not be simply excluded by the researcher without decreasing the generalizability of study results to the general population. Consequently, researchers need to find a compromise between reducing health risks and the validity of their results.

7.1.2 Privacy Protection. Participants' private information should be anonymized to prevent re-identification, protected, and reduced to the minimum necessary amount, especially when it comes to personally identifiable information [23, 67]. Furthermore, transparent communication of all health and privacy risks, the collected data, and of how and for what duration it is stored has to take place as part of the informed consent [50, 67]. In this regard, researchers might have to gain insights on hardware or software providers Terms and Conditions agreements, to be able to take thoughtful decisions on their integration into VR studies.

7.2 Internal and External Validity

Regarding the *internal validity* of VR studies, researchers should expect that especially qualitative results could be influenced by possible biases on VR technology. Those biases might even differ depending on individual factors like age, gender, expectations, and previous experiences with VR. These confounding effects could be identified by gathering information on the subject's attitudes towards and previous experiences with such devices. Counterbalancing possible personal factors could even eliminate their influence. However, since this measure might prove difficult in practice, researchers should measure confounding variables and evaluate their possible effects through data analysis.

When it comes to *external validity*, we propose weighing the choices on recruitment methods and study type. Similar to traditional user studies, the recruitment should result in a representative sample, while a well-chosen study design potentially increases the naturalism of cues. Especially *direct remote VR studies* could potentially increase external validity since they allow for the recruitment of large and diverse samples and provide a naturalistic usage context [58]. Depending on the application, researchers might opt for *indirect VR studies* instead of *direct on-site studies*, since they can achieve higher *internal and external validity* (i.e., controlled context and simulated naturalistic cues) [31, 51].

8 CONCLUSION

To fully exploit the potential of VR studies, researchers have to consider its multiple implications. Hence, we recommend thoughtfully examining the ethical implications of such studies since the usage of VR devices might imply risks to health and privacy. Those risks need to be minimized, whenever possible, and also transparently disclosed to participants. Furthermore, internal validity relates to participants' previous attitudes and experiences regarding VR technology. As controlling for these possible confounding variables might prove difficult, researchers should measure them and evaluate their possible effects through data analysis. Furthermore, we found the unclear generalizability of VR owners and the limited naturalism of virtual environments to be factors influencing the external validity of VR studies. However, if thoughtfully designed and conducted, VR studies represent a valuable research tool, especially in the field of human augmentation [30, 36, 37, 40, 49, 51, 57, 58, 70].

ACKNOWLEDGMENTS

This project has been funded by the German Research Foundation (DFG) under project no. 425869382 and by dtec.bw - Center for Digitization and Technology Research of the Bundeswehr [MuQuaNet]. dtec.bw is funded by the European Union - NextGenerationEU.

REFERENCES

- [1] Frederick Aardema, Kieron O'Connor, Sophie Côté, and Annie Taillon. 2010. Virtual reality induces dissociation and lowers sense of presence in objective reality. Cyberpsychology, Behavior, and Social Networking 13, 4 (2010), 429–435. https://doi.org/10.1089/cyber.2009.0164
- [2] Rajesh Aggarwal, Jonnie Ward, Indran Balasundaram, Parvinderpal Sains, Thanos Athanasiou, and Ara Darzi. 2007. Proving the effectiveness of virtual reality simulation for training in laparoscopic surgery. *Annals of surgery* 246, 5 (2007), 771–779.
- [3] Majed Al Zayer, Isayas B. Adhanom, Paul MacNeilage, and Eelke Folmer. 2019. The Effect of Field-of-View Restriction on Sex Bias in VR Sickness and Spatial Navigation Performance. In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–12. https://doi.org/10.1145/ 3290605.3300584
- [4] Jonas Auda, Uwe Gruenefeld, Thomas Kosch, and Stefan Schneegass. 2022. The Butterfly Effect: Novel Opportunities for Steady-State Visually-Evoked Potential Stimuli in Virtual Reality. In Augmented Humans 2022 (Kashiwa, Chiba, Japan) (AHS 2022). Association for Computing Machinery, New York, NY, USA, 254–266. https://doi.org/10.1145/3519391.3519397
- [5] Roya Bagheri. 2016. Virtual Reality: The Real Life Consequences. UC Davis Bus. LJ 17 (2016), 101. https://heinonline.org/HOL/LandingPage?handle=hein. journals/ucdbuli17&div=7
- [6] Louise Barkhuus and Jennifer A. Rode. 2007. From Mice to Men 24 Years of Evaluation in CHI. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (San Jose, California, USA) (CHI '07). Association for Computing Machinery, New York, NY, USA, 1 pages. https://doi.org/10.1145/ 1240624.2180634.

- [7] Christoph Bartneck, Andreas Duenser, Elena Moltchanova, and Karolina Zawieska. 2015. Comparing the Similarity of Responses Received from Studies in Amazon's Mechanical Turk to Studies Conducted Online and with Direct Recruitment. PLOS ONE 10 (04 2015). https://doi.org/10.1371/journal.pone.0121595
- [8] Frank Biocca. 1992. Will Simulation Sickness Slow down the Diffusion of Virtual Environment Technology? Presence: Teleoper. Virtual Environ. 1, 3 (Jan. 1992), 334–343. https://doi.org/10.1162/pres.1992.1.3.334
- [9] Andreas Butz and Antonio Krüger. 2017. Mensch-Maschine-Interaktion. Walter de Gruyter GmbH & Co KG.
- [10] Krista Casler, Lydia Bickel, and Elizabeth Hackett. 2013. Separate but equal? A comparison of participants and data gathered via Amazon's MTurk, social media, and face-to-face behavioral testing. Computers in human behavior 29, 6 (2013), 2156–2160. https://doi.org/10.1016/j.chb.2013.05.009
- [11] Jesse Chandler, Pam Mueller, and Gabriele Paolacci. 2014. Nonnaïveté among Amazon Mechanical Turk workers: Consequences and solutions for behavioral researchers. Behavior research methods 46, 1 (2014), 112–130. https://doi.org/10. 3758/s13428-013-0365-7
- [12] GlobalWebIndex Chase Buckle. 2018. AR vs VR: The Challenges and Opportunities in 2019. https://blog.globalwebindex.com/chart-of-the-week/augmented-virtual-reality/
- [13] Alan Cheng, Lei Yang, and Erik Andersen. 2017. Teaching Language and Culture with a Virtual Reality Game. In Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 541–549. https://doi.org/10.1145/ 3025453.3025857
- [14] Inrak Choi, Eyal Ofek, Hrvoje Benko, Mike Sinclair, and Christian Holz. 2018. CLAW: A Multifunctional Handheld Haptic Controller for Grasping, Touching, and Triggering in Virtual Reality. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–13. https://doi.org/10.1145/3173574.3174228
- [15] Chien Chou, Hsieh-Lung Hsu, and Yu-Seng Yao. 1997. Construction of a virtual reality learning environment for teaching structural analysis. Computer Applications in Engineering Education 5, 4 (1997), 223–230.
- [16] Pietro Cipresso, Irene Alice Chicchi Giglioli, Mariano Alcañiz Raya, and Giuseppe Riva. 2018. The Past, Present, and Future of Virtual and Augmented Reality Research: A Network and Cluster Analysis of the Literature. Frontiers in Psychology 9 (2018).
- [17] Sue V. G. Cobb, Sarah Nichols, Amanda Ramsey, and John R. Wilson. 1999. Virtual Reality-Induced Symptoms and Effects (VRISE). Presence: Teleoper. Virtual Environ. 8, 2 (April 1999), 169–186. https://doi.org/10.1162/105474699566152
- [18] The Nielsen Company. 2017. Games 360 U.S. Report 2017. https://www.nielsen.com/wp-content/uploads/sites/3/2019/04/nielsen-games-360-report-2017.pdf
- [19] Simon Davis, Keith Nesbitt, and Eugene Nalivaiko. 2014. A Systematic Review of Cybersickness. In Proceedings of the 2014 Conference on Interactive Entertainment (Newcastle, NSW, Australia) (IE2014). Association for Computing Machinery, New York, NY, USA, 1–9. https://doi.org/10.1145/2677758.2677780
- [20] Shuchisnigdha Deb, Daniel W Carruth, Richard Sween, Lesley Strawderman, and Teena M Garrison. 2017. Efficacy of virtual reality in pedestrian safety research. Applied ergonomics 65 (2017), 449–460.
- [21] Charles R. Descheneaux, Lauren Reinerman-Jones, Jason Moss, David Krum, and Irwin Hudson. 2020. Negative Effects Associated with HMDs in Augmented and Virtual Reality. In Virtual, Augmented and Mixed Reality. Design and Interaction, Jessie Y. C. Chen and Gino Fragomeni (Eds.). Springer International Publishing, Cham, 410–428.
- [22] Sharon Farra, Eric Hodgson, Elaine T Miller, Nathan Timm, Whittney Brady, Matt Gneuhs, Jun Ying, Jackie Hausfeld, Emily Cosgrove, Ashley Simon, et al. 2019. Effects of virtual reality simulation on worker emergency evacuation of neonates. Disaster medicine and public health preparedness 13, 2 (2019), 301–308.
- [23] Association for Computing Machinery. 2018. ACM Code of Ethics and Professional Conduct. https://www.acm.org/code-of-ethics
- [24] Lawrence H Frank, Robert S Kennedy, ME McCauley, RW Root, and RS Kellogg. 1984. Simulator sickness: Sensorimotor disturbances induced in flight simulators. Technical Report. NAVAL TRAINING EQUIPMENT CENTER ORLANDO FL.
- [25] Mike Boland from Artillery. 2021. Can Advertising Scale in VR? (Yes and No). https://arinsider.co/2021/07/16/can-advertising-scale-in-vr-yes-and-no/
- [26] Growth from Knowledge. 2016. Virtual Reality Consumer Interest On The Rise. https://www.gfk.com/fileadmin/user_upload/dyna_content/Global/images/ Infographics/GfK_Infographic_VirtualRealtiy_InterestOnTheRise_2016.pdf
- [27] Julian Frommel, Sven Sonntag, and Michael Weber. 2017. Effects of Controller-Based Locomotion on Player Experience in a Virtual Reality Exploration Game. In Proceedings of the 12th International Conference on the Foundations of Digital Games (Hyannis, Massachusetts) (FDG '17). Association for Computing Machinery, New York, NY, USA, Article 30, 6 pages. https://doi.org/10.1145/3102071.3102082
- [28] Anthony G Gallagher, E Matt Ritter, Howard Champion, Gerald Higgins, Marvin P Fried, Gerald Moses, C Daniel Smith, and Richard M Satava. 2005. Virtual reality simulation for the operating room: proficiency-based training as a paradigm shift

- in surgical skills training. Annals of surgery 241, 2 (2005), 364.
- [29] CONTEXT Virtual Reality Research Group. 2016. Virtual Reality Survey UK, France, Germany, Italy and Spain. https://ukie.org.uk/sites/default/files/ CONTEXT%20VR%20Survey%20Booklet.pdf
- [30] Kota Gushima and Tatsuo Nakajima. 2021. Virtual Fieldwork: Designing Augmented Reality Applications Using Virtual Reality Worlds. In Virtual, Augmented and Mixed Reality, Jessie Y. C. Chen and Gino Fragomeni (Eds.). Springer International Publishing, Cham, 417–430.
- [31] Glenn W. Harrison, Ernan Haruvy, and E. Elisabet Rutström. 2011. Remarks on Virtual World and Virtual Reality Experiments. Southern Economic Journal 78, 1 (2011), 87–94. https://doi.org/10.4284/0038-4038-78.1.87
- [32] Kelly Harwood and Patrick Foley. 1987. Temporal Resolution: An Insight into the Video Display Terminal (VDT) Problem. Human Factors 29, 4 (1987), 447–452. https://doi.org/10.1177/001872088702900407
- [33] Marc Herz and Philipp A. Rauschnabel. 2019. Understanding the diffusion of virtual reality glasses: The role of media, fashion and technology. *Technological Forecasting and Social Change* 138 (2019), 228 – 242. https://doi.org/10.1016/j. techfore 2018.09.008
- [34] Kai Holländer, Ashley Colley, Christian Mai, Jonna Häkkilä, Florian Alt, and Bastian Pfleging. 2019. Investigating the Influence of External Car Displays on Pedestrians' Crossing Behavior in Virtual Reality. In Proceedings of the 21st International Conference on Human-Computer Interaction with Mobile Devices and Services (Taipei, Taiwan) (MobileHCl '19). Association for Computing Machinery, New York, NY, USA, Article 27, 11 pages. https://doi.org/10.1145/3338286.3340138
- [35] Matthias Hoppe, Jakob Karolus, Felix Dietz, Paweł W. Wozniak, Albrecht Schmidt, and Tonja-Katrin Machulla. 2019. VRsneaky: Increasing Presence in VR Through Gait-Aware Auditory Feedback. In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–9. https://doi.org/10.1145/3290605.3300776
- [36] Ludovic Hoyet, Ferran Argelaguet, Corentin Nicole, and Anatole Lécuyer. 2016. "Wow! i have six Fingers!": Would You accept structural changes of Your hand in Vr? Frontiers in Robotics and AI 3 (2016), 27.
- [37] Bernd Huber and Krzysztof Z Gajos. 2020. Conducting online virtual environment experiments with uncompensated, unsupervised samples. *Plos one* 15, 1 (2020), e0227629. https://doi.org/10.1371/journal.pone.0227629
- [38] Arief Ernst Hühn, Vassilis-Javed Khan, Andrés Lucero, and Paul Ketelaar. 2012. On the Use of Virtual Environments for the Evaluation of Location-Based Applications. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Austin, Texas, USA) (CHI '12). Association for Computing Machinery, New York, NY, USA, 2569–2578. https://doi.org/10.1145/2207676.2208646
- [39] Hanne Huygelier, Brenda Schraepen, Raymond van Ee, Vero Vanden Abeele, and Céline R Gillebert. 2019. Acceptance of immersive head-mounted virtual reality in older adults. Scientific reports 9, 1 (2019), 1–12. https://doi.org/10.1038/s41598-019-41200-6
- [40] Masahiko Inami, Daisuke Uriu, Zendai Kashino, Shigeo Yoshida, Hiroto Saito, Azumi Maekawa, and Michiteru Kitazaki. 2022. Cyborgs, Human Augmentation, Cybernetics, and JIZAI Body. In Augmented Humans 2022 (Kashiwa, Chiba, Japan) (AHs 2022). Association for Computing Machinery, New York, NY, USA, 230–242. https://doi.org/10.1145/3519391.3519401
- [41] Matthew R Jamnik and David J Lane. 2017. The use of Reddit as an inexpensive source for high-quality data. Practical Assessment, Research, and Evaluation 22, 1 (2017), 5. https://scholarworks.umass.edu/pare/vol22/iss1/5
- [42] Pekka Kallioniemi, Tuuli Keskinen, Ville Mäkelä, Jussi Karhu, Kimmo Ronkainen, Arttu Nevalainen, Jaakko Hakulinen, and Markku Turunen. 2018. Hotspot Interaction in Omnidirectional Videos Using Head-Mounted Displays. In Proceedings of the 22nd International Academic Mindtrek Conference (Tampere, Finland) (Mindtrek '18). Association for Computing Machinery, New York, NY, USA, 126–134. https://doi.org/10.1145/3275116.3275148
- [43] B. Kenwright. 2018. Virtual Reality: Ethical Challenges and Dangers [Opinion]. IEEE Technology and Society Magazine 37, 4 (2018), 20–25.
- [44] T. Keskinen, V. Mäkelä, P. Kallioniemi, J. Hakulinen, J. Karhu, K. Ronkainen, J. Mäkelä, and M. Turunen. 2019. The Effect of Camera Height, Actor Behavior, and Viewer Position on the User Experience of 360° Videos. In 2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR). 423–430.
- [45] David B King, Norm O'Rourke, and Anita DeLongis. 2014. Social media recruitment and online data collection: A beginner's guide and best practices for accessing low-prevalence and hard-to-reach populations. Canadian Psychology/Psychologie canadienne 55, 4 (2014), 240. https://doi.org/10.1037/a0038087
- [46] Eugenia M Kolasinski. 1995. Simulator sickness in virtual environments. Vol. 1027. US Army Research Institute for the Behavioral and Social Sciences.
- [47] Joseph J. LaViola. 2000. A Discussion of Cybersickness in Virtual Environments. SIGCHI Bull. 32, 1 (Jan. 2000), 47–56. https://doi.org/10.1145/333329.333344
- [48] Raymond Lavoie, Kelley Main, Corey King, and Danielle King. 2020. Virtual experience, real consequences: the potential negative emotional consequences of virtual reality gameplay. VIRTUAL REALITY (2020). https://doi.org/10.1007/ s10055-020-00440-y

- [49] Xiao Ma, Megan Cackett, Leslie Park, Eric Chien, and Mor Naaman. 2018. Web-Based VR Experiments Powered by the Crowd. In Proceedings of the 2018 World Wide Web Conference (Lyon, France) (WWW '18). International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, CHE, 33–43. https://doi.org/10.1145/3178876.3186034
- [50] Michael Madary and Thomas K Metzinger. 2016. Real virtuality: A code of ethical conduct. Recommendations for good scientific practice and the consumers of VR-technology. Frontiers in Robotics and AI (2016), 3.
- [51] Ville Mäkelä, Rivu Radiah, Saleh Alsherif, Mohamed Khamis, Chong Xiao, Lisa Borchert, Albrecht Schmidt, and Florian Alt. 2020. Virtual Field Studies: Conducting Studies on Public Displays in Virtual Reality. In Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–15. https://doi.org/10.1145/3313831.3376796
- [52] Michael E McCauley and Thomas J Sharkey. 1992. Cybersickness: Perception of self-motion in virtual environments. Presence: Teleoperators & Virtual Environments 1, 3 (1992), 311–318. https://doi.org/10.1162/pres.1992.1.3.311
- [53] Mark McGill, Daniel Boland, Roderick Murray-Smith, and Stephen Brewster. 2015. A Dose of Reality: Overcoming Usability Challenges in VR Head-Mounted Displays. In Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (Seoul, Republic of Korea) (CHI '15). Association for Computing Machinery, New York, NY, USA, 2143–2152. https://doi.org/10.1145/2702123. 2702382
- [54] Mark McGill, Alexander Ng, and Stephen Brewster. 2017. I Am The Passenger: How Visual Motion Cues Can Influence Sickness For In-Car VR. In Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 5655–5668. https://doi.org/10.1145/3025453.3026046
- [55] RJ Menzies, SJ Rogers, AM Phillips, Elodie Chiarovano, C De Waele, Frans AJ Verstraten, and H MacDougall. 2016. An objective measure for the visual fidelity of virtual reality and the risks of falls in a virtual environment. Virtual Reality 20, 3 (2016), 173–181. https://doi.org/10.1007/s10055-016-0288-6
- [56] Luca Mion, Federico Avanzini, Bruno Mantel, Benoit Bardy, and Thomas A. Stoffregen. 2007. Real-Time Auditory-Visual Distance Rendering for a Virtual Reaching Task. In Proceedings of the 2007 ACM Symposium on Virtual Reality Software and Technology (Newport Beach, California) (VRST '07). Association for Computing Machinery, New York, NY, USA, 179–182. https://doi.org/10.1145/1315184.1315217
- [57] Reiji Miura, Shunichi Kasahara, Michiteru Kitazaki, Adrien Verhulst, Masahiko Inami, and Maki Sugimoto. 2021. MultiSoma: Distributed Embodiment with Synchronized Behavior and Perception. In Augmented Humans Conference 2021 (Rovaniemi, Finland) (AHs'21). Association for Computing Machinery, New York, NY, USA, 1–9. https://doi.org/10.1145/3458709.3458878
- [58] Aske Mottelson and Kasper Hornbæk. 2017. Virtual Reality Studies Outside the Laboratory. In Proceedings of the 23rd ACM Symposium on Virtual Reality Software and Technology (Gothenburg, Sweden) (VRST '17). Association for Computing Machinery, New York, NY, USA, Article 9, 10 pages. https://doi.org/10.1145/ 3139131.3139141
- [59] Mehdi Moussaïd, Mubbasir Kapadia, Tyler Thrash, Robert W Sumner, Markus Gross, Dirk Helbing, and Christoph Hölscher. 2016. Crowd behaviour during high-stress evacuations in an immersive virtual environment. *Journal of The* Royal Society Interface 13, 122 (2016), 20160414.
- [60] Thomas Muender, Anke V. Reinschluessel, Sean Drewes, Dirk Wenig, Tanja Döring, and Rainer Malaka. 2019. Does It Feel Real? Using Tangibles with Different Fidelities to Build and Explore Scenes in Virtual Reality. In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–12. https://doi.org/10.1145/3290605.3300903
- [61] Sarah Nichols and Harshada Patel. 2002. Health and safety implications of virtual reality: a review of empirical evidence. Applied ergonomics 33, 3 (2002), 251–271. https://doi.org/10.1016/S0003-6870(02)00020-0
- [62] Joseph O'Hagan, Mohamed Khamis, and Julie R. Williamson. 2021. Surveying Consumer Understanding & Sentiment Of VR. In Proceedings of the International Workshop on Immersive Mixed and Virtual Environment Systems (MMVE '21) (Istanbul, Turkey) (MMVE '21). Association for Computing Machinery, New York, NY, USA, 14–20. https://doi.org/10.1145/3458307.3460965
- [63] J. L. Olson, D. M. Krum, E. A. Suma, and M. Bolas. 2011. A design for a smartphone-based head mounted display. In 2011 IEEE Virtual Reality Conference. 233–234.
- [64] Timothy J Orr, LG Mallet, and Katie A Margolis. 2009. Enhanced fire escape training for mine workers using virtual reality simulation. *Mining Engineering* 61, 11 (2009), 41.
- [65] Randy Pausch, Thomas Crea, and Matthew Conway. 1992. A literature survey for virtual environments: Military flight simulator visual systems and simulator sickness. Presence: Teleoperators & Virtual Environments 1, 3 (1992), 344–363. https://doi.org/10.1162/pres.1992.1.3.344
- [66] Pornphan Phichai, Julie Williamson, and Matthew Barr. 2021. Alternative Design For An Interactive Exhibit Learning In Museums: How Does User Experience Differ Across Different Technologies-VR, Tangible, And Gesture. In 2021 7th

- [67] Rivu Radiah, Ville Mäkelä, Sarah Prange, Sarah Delgado Rodriguez, Robin Piening, Yumeng Zhou, Kay Köhle, Ken Pfeuffer, Yomna Abdelrahman, Matthias Hoppe, Albrecht Schmidt, and Florian Alt. 2021. Remote VR Studies: A Framework for Running Virtual Reality Studies Remotely Via Participant-Owned HMDs. ACM Trans. Comput.-Hum. Interact. 28, 6, Article 46 (nov 2021), 36 pages. https: //doi.org/10.1145/3472617
- [68] James T Reason and Joseph John Brand. 1975. Motion sickness. Academic press.
- [69] Jannick P Rolland, Myron W Krueger, and Alexei Goon. 2000. Multifocal planes head-mounted displays. Applied Optics 39, 19 (2000), 3209–3215.
- [70] Robin S Rosenberg, Shawnee L Baughman, and Jeremy N Bailenson. 2013. Virtual superheroes: Using superpowers in virtual reality to encourage prosocial behavior. PloS one 8, 1 (2013), e55003.
- [71] David Saffo, Caglar Yildirim, Sara Di Bartolomeo, and Cody Dunne. 2020. Crowd-sourcing Virtual Reality Experiments Using VRChat. In Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI EA '20). Association for Computing Machinery, New York, NY, USA, 1–8. https://doi.org/10.1145/3334480.3382829
- [72] David J Samuels and Cesar Zucco. 2013. Using Facebook as a subject recruitment tool for survey-experimental research. Available at SSRN 2101458 (2013). http://dx.doi.org/10.2139/ssrn.2101458
- [73] Martin Schmettow. 2012. Sample Size in Usability Studies. Commun. ACM 55, 4 (April 2012), 64–70. https://doi.org/10.1145/2133806.2133824
- [74] Bonnie Schmidt and Stephanie Stewart. 2009. Implementing the virtual reality learning environment: Second Life. Nurse Educator 34, 4 (2009), 152–155.
- [75] Itamar Shatz. 2017. Fast, Free, and Targeted: Reddit as a Source for Recruiting Participants Online. Soc. Sci. Comput. Rev. 35, 4 (Aug. 2017), 537–549. https://doi.org/10.1177/0894439316650163
- [76] Mel Slater. 2014. Grand Challenges in Virtual Environments. Frontiers in Robotics and AI 1 (2014), 3. https://doi.org/10.3389/frobt.2014.00003
- [77] Mel Slater, Vasilis Linakis, Martin Usoh, and Rob Kooper. 1996. Immersion, Presence and Performance in Virtual Environments: An Experiment with Tri-Dimensional Chess. In Proceedings of the ACM Symposium on Virtual Reality Software and Technology (Hong Kong) (VRST '96). Association for Computing Machinery, New York, NY, USA, 163–172. https://doi.org/10.1145/3304181.3304216
- [78] Mel Slater, Aitor Rovira, Richard Southern, David Swapp, Jian J Zhang, Claire Campbell, and Mark Levine. 2013. Bystander responses to a violent incident in an immersive virtual environment. PloS one 8, 1 (2013), e52766.
- [79] Mel Slater, Bernhard Spanlang, Maria V Sanchez-Vives, and Olaf Blanke. 2010. First person experience of body transfer in virtual reality. PloS one 5, 5 (2010), e10564
- [80] Harrison Jesse Smith and Michael Neff. 2018. Communication Behavior in Embodied Virtual Reality. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–12. https://doi.org/10.1145/ 3173574.3173863
- [81] James S Spiegel. 2018. The ethics of virtual reality technology: social hazards and public policy recommendations. Science and engineering ethics 24, 5 (2018), 1537–1550. https://doi.org/10.1007/s11948-017-9979-y
- [82] A. Steed, S. Frlston, M. M. Lopez, J. Drummond, Y. Pan, and D. Swapp. 2016. An 'In the Wild' Experiment on Presence and Embodiment using Consumer Virtual Reality Equipment. *IEEE Transactions on Visualization and Computer Graphics* 22, 4 (2016), 1406–1414. https://doi.org/10.1109/TVCG.2016.2518135
- [83] IDC Corporate USA. 2019. Worldwide Spending on Augmented and Virtual Reality Expected to Reach \$18.8 Billion in 2020, According to IDC. https://www.idc.com/getdoc.jsp?containerId=prUS45679219
- [84] Mike Vorhaus. 2021. Vorhaus digital and gaming research study 2021. https://www.slideshare.net/mikevorhaus?utm_campaign=profiletracking&utm_medium=sssite&utm_source=ssslideview
- [85] Peter Ward, Taralyn Clark, Ramon Zabriskie, and Trevor Morris. 2012. Paper/Pencil Versus Online Data Collection: An Exploratory Study. *Journal of Leisure Research* 44, 4 (2012), 507–530. https://doi.org/10.1080/00222216.2012. 11950276
- [86] Eric Whitmire, Hrvoje Benko, Christian Holz, Eyal Ofek, and Mike Sinclair. 2018. Haptic Revolver: Touch, Shear, Texture, and Shape Rendering on a Reconfigurable Virtual Reality Controller. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–12. https://doi.org/10.1145/ 3173574.3173660