

Time-constrained access control for mobile devices

Fabian Hartmann

LMU Munich

ABSTRACT In this thesis, a novel concept to unlock smartphones was elaborated. It enables an alternative time-constrained session on the smartphone for short access. Before the concept was developed, existing research about smartphone usage, unlock behaviors and non-standard unlock methods was explored. The final concept was implemented as an installable Android application afterwards. The prototype application called SnapApp combines the two already known unlock methods PIN and slide-to-unlock in one lockscreen. The user can decide to either get full access by prompting PIN or to get constrained short access by using slide-to-unlock. A longitudinal field study was conducted by installing the prototype on the smartphones of 18 participants, who tested the new lockscreen for a duration of 30 days. Results revealed that SnapApp was able to reduce PIN prompts by 20% in total, which also saved valuable time. The security was not impaired, as the majority of the users has individually configured the maximum session lengths, the expirations of available short sessions and the blacklists, which contain apps protected of usage during short access. This was also confirmed by the feedback questionnaires of the study. SnapApp can be adapted to different user needs and was thereby equally accepted by PIN, pattern and swipe users. Besides, the prototype requires no further hardware or sensors and can thus be installed on any Android smartphone.

CITATION Fabian Hartmann. Time-constrained access control for mobile devices. Master Thesis, LMU Munich. 2017.

Literature Cited

- Apple Inc., 2015a Apple - Apple Pay. <https://www.apple.com/apple-pay/>, [Online; accessed 03-August-2015].
- Apple Inc., 2015b Apple - iPhone 6 - Touch ID. <https://www.apple.com/iphone-6/touch-id/>, [Online; accessed 03-August-2015].
- Arif, A., M. Pahud, K. Hinckley, and W. Buxton, 2013 A tap and gesture hybrid method for authenticating smartphone users. In *Proceedings of the 15th International Conference on Human-computer Interaction with Mobile Devices and Services*, MobileHCI '13, pp. 486–491, New York, NY, USA, ACM.
- Arif, A. S. and A. Mazalek, 2014 Slide-to-unlock revisited: Two new user authentication techniques for touchscreen-based smartphones. In *Proceedings of the 11th International Conference on Mobile and Ubiquitous Systems: Computing, Networking and Services*, MOBIQUITOUS '14, pp. 389–390, ICST, Brussels, Belgium, Belgium, ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering).
- Aviv, A. J., K. Gibson, E. Mossop, M. Blaze, and J. M. Smith, 2010 Smudge attacks on smartphone touch screens. In *Proceedings of the 4th USENIX Conference on Offensive Technologies*, WOOT'10, pp. 1–7, Berkeley, CA, USA, USENIX Association.
- Ben-Asher, N., N. Kirschnick, H. Sieger, J. Meyer, A. Ben-Oved, et al., 2011 On the need for different security methods on mobile phones. In *Proceedings of the 13th International Conference on Human Computer Interaction with Mobile Devices and Services*, MobileHCI '11, pp. 465–473, New York, NY, USA, ACM.
- Biddle, R., S. Chiasson, and P. Van Oorschot, 2012 Graphical passwords: Learning from the first twelve years. *ACM Comput. Surv.* **44**: 19:1–19:41.
- Böhmer, M., B. Hecht, J. Schöning, A. Krüger, and G. Bauer, 2011 Falling asleep with angry birds, facebook and kindle: A large scale study on mobile application usage. In *Proceedings of the 13th International Conference on Human Computer Interaction with Mobile Devices and Services*, MobileHCI '11, pp. 47–56, New York, NY, USA, ACM.
- Bojinov, H. and D. Boneh, 2011 Mobile token-based authentication on a budget. In *Proceedings of the 12th Workshop on Mobile Computing Systems and Applications*, HotMobile '11, pp. 14–19, New York, NY, USA, ACM.
- Chaos Computer Club e.V., 2008 Ccc | chaos computer club konkretisiert biometrie-debatte an schäubles fingerabdruck. <http://www.ccc.de/updates/2008/schaubles-finger>, [Online; accessed 02-August-2015].
- Chen, Y., J. Sun, R. Zhang, and Y. Zhang, 2015 Your song your way: Rhythm-based two-factor authentication for multi-touch mobile devices.
- Confident Technologies, Inc., 2014 Survey Shows Smartphone Users Choose Convenience Over Security - Confident

- Technologies. http://confidenttechnologies.com/news_events/survey-shows-smartphone-users-choose-convenience-security/, [Online; accessed 02-August-2015].
- Consolvo, S., B. Harrison, I. Smith, M. Y. Chen, K. Everitt, et al., 2007 Conducting In Situ Evaluations for and With Ubiquitous Computing Technologies. *International Journal of Human-Computer Interaction* 22: 103–118.
- Consumer Reports, 2013 Cell phone security | wireless threats - consumer reports. <http://www.consumerreports.org/privacy0613>.
- Conti, M., I. Zachia-Zlatea, and B. Crispo, 2011 Mind how you answer me!: Transparently authenticating the user of a smartphone when answering or placing a call. In *Proceedings of the 6th ACM Symposium on Information, Computer and Communications Security*, ASIACCS '11, pp. 249–259, New York, NY, USA, ACM.
- Corner, M. D. and B. D. Noble, 2002 Zero-interaction authentication. In *Proceedings of the 8th Annual International Conference on Mobile Computing and Networking*, MobiCom '02, pp. 1–11, New York, NY, USA, ACM.
- De Luca, A., A. Hang, F. Brudy, C. Lindner, and H. Hussmann, 2012 Touch me once and i know it's you!: Implicit authentication based on touch screen patterns. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '12, pp. 987–996, New York, NY, USA, ACM.
- De Luca, A., E. von Zezschwitz, N. D. H. Nguyen, M.-E. Maurer, E. Rubegni, et al., 2013 Back-of-device authentication on smartphones. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '13, pp. 2389–2398, New York, NY, USA, ACM.
- Egelman, S., S. Jain, R. S. Portnoff, K. Liao, S. Consolvo, et al., 2014 Are you ready to lock? In *Proceedings of the 2014 ACM SIGSAC Conference on Computer and Communications Security*, CCS '14, pp. 750–761, New York, NY, USA, ACM.
- Etherington, Darrell, 2015 Android's Smart On-Body Unlock Function Could Eliminate A Longtime Headache. <http://on.tcrn.ch//SNH4>, [Online; accessed 02-August-2015].
- Findling, R. D., M. Mueaz, D. Hintze, and R. Mayrhofer, 2014 Shakeunlock: Securely unlock mobile devices by shaking them together. In *Proceedings of the 12th International Conference on Advances in Mobile Computing and Multimedia*, MoMM '14, pp. 165–174, New York, NY, USA, ACM.
- Fischer, I. T., C. Kuo, L. Huang, and M. Frank, 2012 Short paper: Smartphones: Not smart enough? In *Proceedings of the Second ACM Workshop on Security and Privacy in Smartphones and Mobile Devices*, SPSM '12, pp. 27–32, New York, NY, USA, ACM.
- Flügge, S., H. Scharf, S. Fahl, and M. Smith, 2013 Poster: Preliminary investigation of an nfc-unlock mechanism for android .
- Gascon, H., S. Uellenbeck, C. Wolf, and K. Rieck, 2014 Continuous Authentication on Mobile Devices by Analysis of Typing Motion Behavior. Sicherheit .
- Google Inc., 2015 Set up your device for automatic unlock - nexus help. <https://support.google.com/nexus/answer/6093922?hl=en>, [Online; accessed 03-August-2015].
- Gupta, A., M. Miettinen, N. Asokan, and M. Nagy, 2012 Intuitive security policy configuration in mobile devices using context profiling. In *Proceedings of the 2012 ASE/IEEE International Conference on Social Computing and 2012 ASE/IEEE International Conference on Privacy, Security, Risk and Trust*, SOCIALCOM-PASSAT '12, pp. 471–480, Washington, DC, USA, IEEE Computer Society.
- Harbach, M., E. von Zezschwitz, A. Fichtner, A. D. Luca, and M. Smith, 2014 It's a hard lock life: A field study of smartphone (un)locking behavior and risk perception. In *Symposium On Usable Privacy and Security (SOUPS 2014)*, pp. 213–230, Menlo Park, CA, USENIX Association.
- Hayashi, E., S. Das, S. Amini, J. Hong, and I. Oakley, 2013 Casa: Context-aware scalable authentication. In *Proceedings of the Ninth Symposium on Usable Privacy and Security*, SOUPS '13, pp. 3:1–3:10, New York, NY, USA, ACM.
- Hayashi, E., O. Riva, K. Strauss, A. J. B. Brush, and S. Schechter, 2012 Goldilocks and the two mobile devices: Going beyond all-or-nothing access to a device's applications. In *Proceedings of the Eighth Symposium on Usable Privacy and Security*, SOUPS '12, pp. 2:1–2:11, New York, NY, USA, ACM.
- Hogarth, R. M., M. Portell, and A. Cuxart, 2007 What risks do people perceive in everyday life? A perspective gained from the experience sampling method (ESM). *Risk Analysis* 27: 1427–1439.
- Hong, F., M. Wei, S. You, Y. Feng, and Z. Guo, 2015 Waving authentication: Your smartphone authenticate you on motion gesture. In *Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems*, CHI EA '15, pp. 263–266, New York, NY, USA, ACM.
- Intelligent Environments, 2015 Now you can log into your bank using emoji. <http://www.intelligentenvironments.com/info-centre/press-releases/now-you-can-log-into-your-bank-using-emoji-1>, [Online; accessed 03-August-2015].
- Intille, S. S., J. Rondoni, C. Kukla, I. Ancona, and L. Bao, 2003 A context-aware experience sampling tool. In *CHI '03 Extended Abstracts on Human Factors in Computing Systems*, CHI EA '03, pp. 972–973, New York, NY, USA, ACM.
- Jakobsson, M., E. Shi, P. Golle, and R. Chow, 2009 Implicit authentication for mobile devices. In *Proceedings of the 4th USENIX Conference on Hot Topics in Security*, HotSec'09, pp. 9–9, Berkeley, CA, USA, USENIX Association.
- Karlson, A. K., A. B. Brush, and S. Schechter, 2009 Can i borrow your phone?: Understanding concerns when sharing mobile phones. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '09, pp. 1647–1650, New York, NY, USA, ACM.
- Kayacik, H. G., M. Just, L. Baillie, D. Aspinall, and N. Micallef, 2014 Data driven authentication: On the effectiveness of user behaviour modelling with mobile device sensors. arXiv preprint arXiv:1410.7743 .
- Khan, H. and U. Hengartner, 2014 Towards application-centric implicit authentication on smartphones. In *Proceedings of the 15th Workshop on Mobile Computing Systems and Applications*, HotMobile '14, pp. 10:1–10:6, New York, NY, USA, ACM.
- Kujala, S. and T. Miron-Shatz, 2013 Emotions, experiences and usability in real-life mobile phone use. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '13, pp. 1061–1070, New York, NY, USA, ACM.
- Kurkovsky, S. and E. Syta, 2010 Digital natives and mobile phones: A survey of practices and attitudes about privacy and security. In *Technology and Society (ISTAS), 2010 IEEE International Symposium on*, pp. 441–449.
- Kwon, T. and S. Na, 2014 TinyLock: Affordable defense against smudge attacks on smartphone pattern lock systems. *Computers and Security* 42: 137–150.
- Lardinois, Frederic, 2015 Google Launches Android M Preview With Fingerprint Scanner Support, Android Pay, Improved Permissions And Battery Life. <http://on.tcrn.ch//9ej5>, [Online;

- accessed 01-August-2015].
- Mads Haahr, 2015 Random.org - true random number service. <https://www.random.org/lists/>, [Online; accessed 03-August-2015].
- Maguire, J. and K. Renaud, 2012 You only live twice or "the years we wasted caring about shoulder-surfing". In *Proceedings of the 26th Annual BCS Interaction Specialist Group Conference on People and Computers*, BCS-HCI '12, pp. 404–409, Swinton, UK, UK, British Computer Society.
- Micallef, N., M. Just, L. Baillie, M. Halvey, and H. G. Kayacik, 2015 Why aren't users using protection? investigating the usability of smartphone locking. *MobileHCI*.
- Micallef, N., M. Just, L. Baillie, and G. Kayacik, 2013 Poster : Towards an app-driven mobile authentication model pp. 1–2.
- Möller, A., M. Kranz, B. Schmid, L. Roalter, and S. Diewald, 2013 Investigating self-reporting behavior in long-term studies. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '13, pp. 2931–2940, New York, NY, USA, ACM.
- Muslukhov, I., Y. Boshmaf, C. Kuo, J. Lester, and K. Beznosov, 2012 Understanding users' requirements for data protection in smartphones. In *Proceedings of the 2012 IEEE 28th International Conference on Data Engineering Workshops*, ICDEW '12, pp. 228–235, Washington, DC, USA, IEEE Computer Society.
- Muslukhov, I., Y. Boshmaf, C. Kuo, J. Lester, and K. Beznosov, 2013 Know your enemy: The risk of unauthorized access in smartphones by insiders. In *Proceedings of the 15th International Conference on Human-computer Interaction with Mobile Devices and Services*, MobileHCI '13, pp. 271–280, New York, NY, USA, ACM.
- Ni, X., Z. Yang, X. Bai, A. Champion, and D. Xuan, 2009 Diffuser: Differentiated user access control on smartphones. In *Mobile Adhoc and Sensor Systems, 2009. MASS '09. IEEE 6th International Conference on*, pp. 1012–1017.
- Nickel, C., 2012 Accelerometer-based biometric gait recognition for authentication on smartphones .
- Norman, D., 2010 When Security Gets in the Way. *Interactions* .
- PayPal (Europe) S.à r.l. et Cie, S.C.A., 2015 Use your fingerprint and paypal to shop. <https://www.paypal-pages.com/samsunggalaxys5/us/index.html>, [Online; accessed 03-August-2015].
- Phillips, P. J., 2011 Improving face recognition technology. *Computer* **44**: 84–86.
- Pons, A. P. and P. Polak, 2008 Understanding user perspectives on biometric technology. *Commun. ACM* **51**: 115–118.
- Riva, O., C. Qin, and K. Strauss, 2011 Progressive authentication: deciding when to authenticate on mobile phones. *Proceedings of the 21 st . . .* pp. 1–16.
- Schaub, F., R. Deyhle, and M. Weber, 2012 Password entry usability and shoulder surfing susceptibility on different smartphone platforms. In *Proceedings of the 11th International Conference on Mobile and Ubiquitous Multimedia*, MUM '12, pp. 13:1–13:10, New York, NY, USA, ACM.
- Srilenkha R. and Jayakumar D., 2015 A Secure Screen Lock System for Android Smart Phones using Accelerometer Sensor **1**: 96–100.
- Stajano, F., 2004 Will your digital butlers betray you? In *Proceedings of the 2004 ACM Workshop on Privacy in the Electronic Society*, WPES '04, pp. 37–38, New York, NY, USA, ACM.
- Stajano, F., 2006 One user, many hats; and, sometimes, no hat: Towards a secure yet usable pda. In *Security Protocols*, edited by B. Christianson, B. Crisp, J. Malcolm, and M. Roe, volume 3957 of *Lecture Notes in Computer Science*, pp. 51–64, Springer Berlin Heidelberg.
- Staneková, L. and M. Stanek, 2013 How to choose a PIN - assessment of dictionary methods .
- Tamviruzzaman, M., S. I. Ahamed, C. S. Hasan, and C. O'brien, 2009 epet: When cellular phone learns to recognize its owner. In *Proceedings of the 2Nd ACM Workshop on Assurable and Usable Security Configuration*, SafeConfig '09, pp. 13–18, New York, NY, USA, ACM.
- Tari, F., A. A. Ozok, and S. H. Holden, 2006 A comparison of perceived and real shoulder-surfing risks between alphanumeric and graphical passwords. In *Proceedings of the Second Symposium on Usable Privacy and Security*, SOUPS '06, pp. 56–66, New York, NY, USA, ACM.
- Taylor, H., 2003 Most people are 'privacy pragmatists' who, while concerned about privacy, will sometimes trade it off for other benefits. *The Harris Poll* **17**: 1–6.
- Uellenbeck, S., T. Hupperich, C. Wolf, T. Holz, G. Horst, et al., 2014 Tactile One-Time Pad: Smartphone Authentication Resilient Against Shoulder Surfing .
- Van Bruggen, D., S. Liu, M. Kajzer, A. Striegel, C. R. Crowell, et al., 2013 Modifying smartphone user locking behavior. In *Proceedings of the Ninth Symposium on Usable Privacy and Security*, SOUPS '13, pp. 10:1–10:14, New York, NY, USA, ACM.
- von Zezschwitz, E., A. De Luca, B. Brunkow, and H. Hussmann, 2015 Swipin: Fast and secure pin-entry on smartphones. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*, CHI '15, pp. 1403–1406, New York, NY, USA, ACM.
- von Zezschwitz, E., P. Dunphy, and A. De Luca, 2013 Patterns in the wild: a field study of the usability of pattern and pin-based authentication on mobile devices. In *Proceedings of the 15th international conference on Human-computer interaction with mobile devices and services*, MobileHCI '13, pp. 261–270, New York, NY, USA, ACM.
- Wagner, A., J. Wright, A. Ganesh, Z. Zhou, H. Mobahi, et al., 2012 Toward a practical face recognition system: Robust alignment and illumination by sparse representation. *IEEE Trans. Pattern Anal. Mach. Intell.* **34**: 372–386.
- Wilson, M. and L. Chen, 2012 Securing Sensitive Data Stored on Smartphones Using Face Recognition to Unlock Mobile Devices .
- Wobig, M., 2012 Entsperrten von Android Smartphones mit Hilfe von Near Field Communication .